```
From A Search of 10829062 on March 02, 2005
                      (3 OR, 1 XR)
     439/578
                     439 : ELECTRICAL CONNECTORS
            class
            439/578
                             INCLUDING OR FOR USE WITH COAXIAL CABLE
                   (0 OR, 3 XR)
052 : STATIC STRUCTURES
       52/404.2
  3
            Class
                             INSULATING INSERT; E.G., FILLER IN CAVITY IN PRECONSTRUCTED OR CAST STRUCTURE
            52/404.1
            52/404.2
                             .With retaining means penetrating insulating
                                 layer
                     (0 \text{ OR}, 3 \text{ XR})
    257/E21.599
                      257 : ACTIVE SOLID-STATE DEVICES
            Class
                             ...For electrical parameters, e.g., resistance, deep-levels, CV, diffusions by electrical
            257/E21.531
means
                                    (EPO)
                             .Manufacture or treatment of devices
            257/E21.532
                                   consisting of plurality of solid-state components
formed in
                                   or on common substrate or of parts thereof; manufacture
of
                                   integrated circuit devices or of parts thereof (EPO)
                             ..Manufacture or treatment of devices consisting of plurality of solid-state components or
            257/E21.598
                                  integrated circuits formed in, or on, common substrate
                                  (EPO)
                             ...with subsequent division of substrate into
            257/E21.599
                                 plural individual devices (EPO)
                      (2 OR, 1 XR)
439 : ELECTRICAL CONNECTORS
     439/607
            Class
            439/607
                             HAVING OR PROVIDING INDUCTIVE OR CAPACITIVE
                                 SHIELD
                       (0 \text{ OR}, 3 \text{ XR})
  3 439/676
            Class
                      439 : ELECTRICAL CONNECTORS
                             WITH INSULATION OTHER THAN CONDUCTOR SHEATH Plural-contact coupling part
            439/625
            439/626
            439/660
                             ..Plural-contact coupling part comprises
                             receptacle or plug

...Having push-pull-engaging contacts spaced
along planar side wall transverse to longitudinal
engagement axis (e.g., telephone jack or plug)
            439/676
                     (2 OR, 0 XR)
052 : STATIC STRUCTURES
  2
       52/506.02
            Class
            52/506.01
                             SHEETLIKE ELEMENT ASSEMBLED PARALLEL TO
                                  EXISTING WALL, CEILING, OR FLOOR (E.G., INSULATING
PANEL,
                                  SHEATHING)
                             .For furnace or refrigeration
            52/506.02
                     (0 OR, 2 XR)
052 : STATIC STRUCTURES
  7
            52/506.01
                             SHEETLIKE ELEMENT ASSEMBLED PARALLEL TO
                                  EXISTING WALL, CEILING, OR FLOOR (E.G., INSULATING
PANEL,
                                  SHEATHING)
```

10829062_CLSTITLES.txt

Titles of Most Frequently Occurring Classifications of Patents Returned

. .with separate fastener extending beyond margin 52/509 (1 OR, 1 XR) 81 : TOOLS 2 81/3.8 Class 081: 81/3.8 **FUSE PULLERS** (0 OR, 2 XR)2 110/336 110 : FURNACES Class 110/336 WALL STRUCTURE (0 OR, 2 XR)2 361/784 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES Class HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE 361/600 **ELECTRICAL COMPONENTS** .For electronic systems and devices 361/679 361/748 ..Printed circuit board ...Plural 361/784 (0 OR, 2 XR) 373 : INDUSTRIAL ELECTRIC HEATING FURNACES 373/137 Class 373/109 RESISTANCE FURNACE DEVICE 373/137 .Lining (0 OR, 2 XR) 438/106 438 : SEMICONDUCTOR DEVICE MANUFACTURING: PROCESS Class PACKAGING (E.G., WITH MOUNTING, ENCAPSULATING, 438/106 ETC.) OR TREATMENT OF PACKAGED SEMICONDUCTOR (2 OR, 0 XR) 438/114 SEMICONDUCTOR DEVICE MANUFACTURING: PROCESS 438 : Class PACKAGING (E.G., WITH MOUNTING, ENCAPSULATING, ETC.) OR TREATMENT OF PACKAGED SEMICONDUCTOR 438/106 .Making plural separate devices 438/110 438/113 . Substrate dicing ...Utilizing a coating to perfect the dicing 438/114 (0 OR, 2 XR)439/849 .2 439 : ELECTRICAL CONNECTORS Class METALLIC CONNECTOR OR CONTACT HAVING MOVABLE OR 439/775 RESILIENT SECURING PART .Spring actuated or resilient securing part 439/816 ..Socket adapted to receive push-pull-engaging 439/842 elongated contact by insertion along longitudinal axis of contact ...Having latching detent or means operated by 439/848 mating contact to lock or manipulate resilient partAdapted to receive thin blade contact 439/849

10829062_CLSTITLES.txt

(e.g., spade receiving)

PLUS Search Results for S/N 10829062, Searched March 02, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.